

L Number	Hits	Search Text	DB	Time stamp
3	5	("4855930" "5721435" "5763870" "5998141" "6215894").PN.	USPAT	2003/07/31 13:59
5	0	6406849.URPN.	USPAT	2003/07/31 14:00
4	15	(substrate adj holder) with (code barcode id identification)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:16
6	3	("5786897" "5999254" "6323953").PN.	USPAT	2003/07/31 14:05
7	7	("4949783" "5026239" "6004047" "6040096" "6122036" "6132289" "6244931").PN.	USPAT	2003/07/31 14:11
8	1	6377870.URPN.	USPAT	2003/07/31 14:14
9	5	((mask reticle target) adj holder) with (code barcode id identification)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:17
10	14	((mask reticle target wafer) adj holder) with (code barcode id identification)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:29
11	6	("2995979" "3476476" "3497705" "4544311" "4583847" "4784377").PN.	USPAT	2003/07/31 14:26
12	17	4924258.URPN.	USPAT	2003/07/31 14:26
13	6	4924258.URPN. and (code barcode identification mark)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:27
14	6	4924258.URPN. and (code barcode identification mark id)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:27
15	48489	(mask reticle target wafer) same (code barcode id identification)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:07
16	22489	(mask reticle target wafer) same (code barcode)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:31
17	2330	(mask reticle target wafer) same (barcode (bar adj code))	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:31
18	22	((mask reticle target wafer) adj hold\$3) same (barcode (bar adj code))	USPAT; US-PGPUB; EPO; JPO	2003/07/31 14:31
22	38	(US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-6323953-\$ or US-5999254-\$ or US-5786897-\$ or US-5253012-\$ or US-5066131-\$ or US-4856037-\$ or US-6264165-\$ or US-4345836-\$ or US-6342705-\$ or US-6188485-\$ or US-5986753-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-5854819-\$ or US-5608773-\$ or US-4869481-\$ or US-4522489-\$ or US-6486947-\$ or US-6406849-\$ or US-6377870-\$ or US-6040096-\$ or US-5917604-\$).did. or (US-5894056-\$ or US-5298761-\$ or US-4521114-\$ or US-5243195-\$ or US-4583847-\$ or US-6069931-\$ or US-6426790-\$ or US-4609285-\$ or US-3754476-\$ or US-6043864-\$ or US-5818018-\$ or US-5461237-\$).did.	USPAT	2003/07/31 15:03
25	17	((US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-6323953-\$ or US-5999254-\$ or US-5786897-\$ or US-5253012-\$ or US-5066131-\$ or US-4856037-\$ or US-6264165-\$ or US-4345836-\$ or US-6342705-\$ or US-6188485-\$ or US-5986753-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-5854819-\$ or US-5608773-\$ or US-4869481-\$ or US-4522489-\$ or US-6486947-\$ or US-6406849-\$ or US-6377870-\$ or US-6040096-\$ or US-5917604-\$).did. or (US-5894056-\$ or US-5298761-\$ or US-4521114-\$ or US-5243195-\$ or US-4583847-\$ or US-6069931-\$ or US-6426790-\$ or US-4609285-\$ or US-3754476-\$ or US-6043864-\$ or US-5818018-\$ or US-5461237-\$).did.) and thickness	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:05

34	0	((US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-6323953-\$ or US-5999254-\$ or US-5786897-\$ or US-5253012-\$ or US-5066131-\$ or US-4856037-\$ or US-6264165-\$ or US-4345836-\$ or US-6342705-\$ or US-6188485-\$ or US-5986753-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-5854819-\$ or US-5608773-\$ or US-4869481-\$ or US-4522489-\$ or US-6486947-\$ or US-6406849-\$ or US-6377870-\$ or US-6040096-\$ or US-5917604-\$).did. or (US-5894056-\$ or US-5298761-\$ or US-4521114-\$ or US-5243195-\$ or US-4583847-\$ or US-6069931-\$ or US-6426790-\$ or US-4609285-\$ or US-3754476-\$ or US-6043864-\$ or US-5818018-\$ or US-5461237-\$).did.) and (thickness same deviation)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:05
36	3	((US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-6323953-\$ or US-5999254-\$ or US-5786897-\$ or US-5253012-\$ or US-5066131-\$ or US-4856037-\$ or US-6264165-\$ or US-4345836-\$ or US-6342705-\$ or US-6188485-\$ or US-5986753-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-5854819-\$ or US-5608773-\$ or US-4869481-\$ or US-4522489-\$ or US-6486947-\$ or US-6406849-\$ or US-6377870-\$ or US-6040096-\$ or US-5917604-\$).did. or (US-5894056-\$ or US-5298761-\$ or US-4521114-\$ or US-5243195-\$ or US-4583847-\$ or US-6069931-\$ or US-6426790-\$ or US-4609285-\$ or US-3754476-\$ or US-6043864-\$ or US-5818018-\$ or US-5461237-\$).did.) and (thickness same measur\$6)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:06
39	14078	(substrate mask reticle target wafer) same (thickness with measur\$6)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:09
40	286	((substrate mask reticle target wafer) same (thickness with measur\$6)) same ((substrate mask reticle target wafer) with holder)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:09
41	271	(substrate mask reticle target wafer) same (thickness with deviation with measur\$6)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:09
42	0	((substrate mask reticle target wafer) same (thickness with deviation with measur\$6)) same ((substrate mask reticle target wafer) with holder)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:10
43	15	((substrate mask reticle target wafer) same (thickness with deviation with measur\$6)) and ((substrate mask reticle target wafer) with holder)	USPAT; US-PGPUB; EPO; JPO	2003/07/31 15:11
-	2	(("5539521") or ("5671054")).PN.	USPAT; US-PGPUB; EPO; JPO	2003/03/11 15:15
-	1085	(356/244).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/03/11 15:17
-	12	((356/244).CCLS.) and (substrate near5 holder)	USPAT; US-PGPUB; EPO; JPO	2003/03/11 15:21
-	7	((356/244).CCLS.) and (substrate adj holder)	USPAT; US-PGPUB; EPO; JPO	2003/03/11 16:19
-	3	("5786897" "5999254" "6323953").PN.	USPAT	2003/03/11 15:21
-	0	6441899.URPN.	USPAT	2003/03/11 15:26
-	13	("4506205" "4507597" "4654571" "4655594" "4676649" "4742286" "4814625" "5026239" "5066131" "5238354" "5253012" "5285142" "5369490").PN.	USPAT	2003/03/11 15:35

-	7	("4676649" "4749867" "4803712" "4814625" "4856037" "4887804" "4891526").PN.	USPAT	2003/03/11 15:42
-	5	5066131.URPN.	USPAT	2003/03/11 15:44
-	137	356/\$.ccls. and (substrate adj holder)	USPAT; US-PGPUB; EPO; JPO	2003/03/11 15:47
-	4	(356/\$.ccls. and (substrate adj holder)) and (sphere jewel)	USPAT; US-PGPUB; EPO; JPO	2003/03/11 15:48
-	8	("3550276" "3622244" "3884580" "3941480" "4226526" "4311390" "4345836" "4464030").PN.	USPAT	2003/03/11 15:53
-	12	4655594.URPN.	USPAT	2003/03/11 15:56
-	2	("4835078" "5523843").PN.	USPAT	2003/03/11 16:11
-	3	5786897.URPN.	USPAT	2003/03/11 16:12
-	2	("5017012" "5369490").PN.	USPAT	2003/03/11 16:32
-	3	5986753.URPN.	USPAT	2003/03/11 16:32
-	3	("5786897" "5999254" "6323953").PN.	USPAT	2003/03/11 16:53
-	0	6441899.URPN.	USPAT	2003/03/11 16:54
-	11	("4877970" "4982103" "5159202" "5369490" "5438209" "5546179" "5684599" "5691543" "5696383" "5986753" "6157450").PN.	USPAT	2003/03/11 16:54
-	0	6342705.URPN.	USPAT	2003/03/11 16:56
-	9	("4218142" "4744663" "4837449" "4889998" "4966457" "5184021" "5563702" "5786897" "5892579").PN.	USPAT	2003/03/11 16:56
-	2	6323953.URPN.	USPAT	2003/03/11 16:59
-	1	"5101420".PN.	USPAT	2003/03/11 16:59
-	1	5999254.URPN.	USPAT	2003/03/11 16:59
-	2	("5017012" "5369490").PN.	USPAT	2003/03/11 16:59
-	3	5986753.URPN.	USPAT	2003/03/11 16:59
-	3	5986753.URPN.	USPAT	2003/03/11 17:01
-	2	("4835078" "5523843").PN.	USPAT	2003/03/11 17:01
-	3	5786897.URPN.	USPAT	2003/03/11 17:01
-	13	("4506205" "4507597" "4654571" "4655594" "4676649" "4742286" "4814625" "5026239" "5066131" "5238354" "5253012" "5285142" "5369490").PN.	USPAT	2003/03/11 17:01
-	10	5574556.URPN.	USPAT	2003/03/11 17:03
-	2	("4662754" "4764791").PN.	USPAT	2003/03/11 17:04
-	9	5253012.URPN.	USPAT	2003/03/11 17:08
-	10	("4522489" "4869481" "4999506" "5160961" "5161177" "5191218" "5203547" "5231291" "5253012" "5374829").PN.	USPAT	2003/03/11 17:13
-	21	(US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-5999254-\$ or US-6323953-\$ or US-5786897-\$ or US-4856037-\$ or US-4345836-\$ or US-6486947-\$ or US-5986753-\$ or US-6342705-\$ or US-6188485-\$ or US-5253012-\$ or US-5066131-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-4869481-\$ or US-4522489-\$ or US-5854819-\$ or US-5608773-\$).did.	USPAT	2003/03/11 17:25
-	5	((US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-5999254-\$ or US-6323953-\$ or US-5786897-\$ or US-4856037-\$ or US-4345836-\$ or US-6486947-\$ or US-5986753-\$ or US-6342705-\$ or US-6188485-\$ or US-5253012-\$ or US-5066131-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-4869481-\$ or US-4522489-\$ or US-5854819-\$ or US-5608773-\$).did.) and (thickness with (substrate target wafer))	USPAT; US-PGPUB; EPO; JPO	2003/03/11 17:26
-	9	("4218142" "4744663" "4837449" "4889998" "4966457" "5184021" "5563702" "5786897" "5892579").PN.	USPAT	2003/03/11 18:03
-	2	6323953.URPN.	USPAT	2003/03/11 18:04

-	1231	(356/511,401).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/03/12 13:02
-	327	((356/511,401).CCLS.) and ((substrate wafer target reticle) with hold\$3)	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:20
-	40	((356/244).CCLS.) and ((substrate wafer reticle target) with hold\$3)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:26
-	78	((356/511,401).CCLS.) and ((substrate wafer target reticle) with hold\$3)) and ((substrate wafer target reticle) with thickness\$2)	USPAT; US-PGPUB; EPO; JPO	2003/03/12 14:58
-	13	("4558949" "4583847" "4780616" "4924257" "5138176" "5194893" "5243195" "5337097" "5448332" "5464715" "5473410" "5477304" "5894056").PN.	USPAT	2003/03/12 14:28
-	9	6040096.URPN.	USPAT	2003/03/12 14:40
-	27	((356/511,401).CCLS.) and ((substrate wafer target reticle) with hold\$3)) and ((substrate wafer target reticle) with thickness\$2)) and (spher\$5 ball bearing)	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:19
-	1085	(356/244).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:19
-	367	((356/511,401).CCLS.) ((356/244).CCLS.) and ((substrate wafer target reticle) with hold\$3)	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:57
-	7	((356/511,401).CCLS.) ((356/244).CCLS.) and ((substrate wafer target reticle) with hold\$3)) and (code with (hold\$3 stage))	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:22
-	30	(US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-5999254-\$ or US-6323953-\$ or US-5786897-\$ or US-4856037-\$ or US-4345836-\$ or US-6486947-\$ or US-5986753-\$ or US-6342705-\$ or US-6188485-\$ or US-5253012-\$ or US-5066131-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-4869481-\$ or US-4522489-\$ or US-5854819-\$ or US-5608773-\$ or US-6406849-\$ or US-6040096-\$ or US-5894056-\$ or US-5243195-\$ or US-4583847-\$).did. or (US-6377870-\$ or US-5298761-\$ or US-5917604-\$ or US-4521114-\$).did.	USPAT	2003/03/12 15:32
-	19	((US-6441899-\$ or US-5574556-\$ or US-4655594-\$ or US-5999254-\$ or US-6323953-\$ or US-5786897-\$ or US-4856037-\$ or US-4345836-\$ or US-6486947-\$ or US-5986753-\$ or US-6342705-\$ or US-6188485-\$ or US-5253012-\$ or US-5066131-\$ or US-4764791-\$ or US-6005910-\$ or US-5883932-\$ or US-4869481-\$ or US-4522489-\$ or US-5854819-\$ or US-5608773-\$ or US-6406849-\$ or US-6040096-\$ or US-5894056-\$ or US-5243195-\$ or US-4583847-\$).did. or (US-6377870-\$ or US-5298761-\$ or US-5917604-\$ or US-4521114-\$).did.) and mirror	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:32
-	651	((356/511,401).CCLS.) ((356/244).CCLS.) and ((substrate wafer target reticle) with (stage hold\$3))	USPAT; US-PGPUB; EPO; JPO	2003/03/12 15:58
-	17	((356/511,401).CCLS.) ((356/244).CCLS.) and ((substrate wafer target reticle) with (stage hold\$3)) and (mirror same (stage hold\$3) same (ball bearing spher\$5))	USPAT; US-PGPUB; EPO; JPO	2003/03/12 16:00
-	8458	((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:36
-	553	((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer reticle target) with hold\$3)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:29

-	353	((((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer reticle target) with hold\$3)) and ((substrate wafer reticle target) with support\$3)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:32
-	0	((((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer reticle target) with hold\$3)) and ((substrate wafer reticle target) with support\$3) and (standard adj thickness)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:29
-	330	((((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and (substrate with hold\$3)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:29
-	165	((((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and (substrate with hold\$3)) and (substrate with support\$3)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:30
-	36	((((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and (substrate with hold\$3)) and (substrate with support\$3)) and (substrate with thickness)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:31
-	87	((((356/244) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer reticle target) with hold\$3)) and ((substrate wafer reticle target) with support\$3) and ((substrate wafer reticle target) with thickness)	USPAT; US-PGPUB; EPO; JPO	2003/07/29 17:34
-	8594	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:36
-	1133	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer mask reticle target) with (hold\$3 support\$))	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:38
-	407	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) and (sphere ball bearing)	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:38
-	205	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) same (sphere ball bearing))	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:43
-	70	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) same (sphere ball bearing)) and ((substrate wafer mask reticle target) same thickness)	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:40
-	205	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) and ((substrate wafer mask reticle target) with (hold\$3 support\$)) same (sphere ball bearing jewel))	USPAT; US-PGPUB; EPO; JPO	2003/07/30 11:43
-	395	support\$3 with jewel	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:36
-	0	((356/244,503) or (355/72,75) or (310/10,12) or (378/34,35)).CCLS.) and (support\$3 with jewel)	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:27
-	121	(support\$3 with jewel) and measur\$6	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:29
-	5	((support\$3 with jewel) and measur\$6) and (support\$3 with (substrate reticle wafer mask target))	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:30
-	6	(support\$3 with jewel) and 356/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:38

-	0	(support\$3 with jewel) and 355/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:38
-	27	(support\$3 with jewel) and 310/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:46
-	18	((support\$3 with jewel) and 310/\$.ccls.) and friction	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:46
-	3	((support\$3 with jewel) and 310/\$.ccls.) and (friction with jewel)	USPAT; US-PGPUB; EPO; JPO	2003/07/30 16:46